



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.

Columbus, OH Laboratory

2057 Builders Place, Columbus, OH 43204

Tel. 1-844-277-1740 Fax. 614-486-0151

Email: getresults11@mxns.com

COA No:	OHI-47587193-0
Supersedes:	None
COA Date	10/20/23
Page 1 of 1	

Received From:	Rye, NY
Received Date:	10/17/23

Location of Test: (except where noted)	Columbus, OH
--	--------------

TO:
 Mr. Braeden Ruud
 Co-Founder / CEO
 Raised Right Pets LP
 17 Purdy Ave
 Rye, NY 10580

Analytical Results

Laboratory ID: 430837911 Condition Rec'd: NORMAL Temp Rec'd (°C): 1.2
 Sample Name: Original Pork Adult Dog Recipe

Additional field 1: BEST BY 04 / 03 / 2025

Analyte	Result	Units	Method Reference	Test Date	Loc.
* E. coli O157:H7 - ELFA	Negative	/25g	AOAC RI 060903	10/19/23	
* Listeria monocytogenes - PCR	Negative	/25g	AOAC 2019.11	10/19/23	
* Salmonella spp. PCR	Negative	/25g	AOAC 2020.02	10/20/23	

Laboratory ID: 430837927 Condition Rec'd: NORMAL Temp Rec'd (°C): 1.2
 Sample Name: Pork & Pumpkin Paté for Adult Dogs

Additional field 1: BEST BY 04 / 04 / 2025

Analyte	Result	Units	Method Reference	Test Date	Loc.
* E. coli O157:H7 - ELFA	Negative	/25g	AOAC RI 060903	10/19/23	
* Listeria monocytogenes - PCR	Negative	/25g	AOAC 2019.11	10/19/23	
* Salmonella spp. PCR	Negative	/25g	AOAC 2020.02	10/19/23	


 Vidhya Gangar, M.S. Division Vice President

I Customer supplied information * ISO17025 Accredited Analysis † Indicates reason for COA amendment when applicable

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.